#### New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Elizabeth City Residents

1.	Current HIV/AIDS Category	Adult/Adolescent * Cases %	Pediatric * Cases %		Total ases	엉
	AIDS-Any OI AIDS-CD4 Only HIV Only	263 26 317 32 414 42	5 3	8 0 2	268 317 422	27 31 42
	Total	994 100	13 10			100
2.	Current Age * Cases %	3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Cases	% 
	<pre>&lt;5     0     0 5-12     13     1 13-19     15     1 20-29     44     4 30-39     267     27</pre>	White, Not Hispan Black, Not Hispan Hispanic Other/Unknown	ic 113 11	0 0 7 54 6 46 0 0	113 516 363 15	11 51
	30-39 267 27 40-49 415 41 50+ 253 25 Unk. 0 0 Total 1007 100	Total	994 100	13 100	1007 1	
4.	Patient Group	Adul Males	t/Adolescent Tra % Femal		odes ** Total	90
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	141 222 23 74 174	22 35 9 4 12 14 27 10	0 0 9 43 0 29	141 316 23 223 274	14 32 2 23 28
	Total		00 34		977	
		Males	Pediatric Trans	es %	Total	
	Parent at risk/has AIDS/HIV Risk not reported/other***	17 1 0	00 1	# #	 29 #	97 #
	Total		00 1	3 100	30	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of June 2004.
- \*\* 17 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Elizabeth City Residents

Adult/Adolescent\*

1. Disease Category	У	Case	es (%)	Deaths (%)	Cases	(%)	Death	ns (%)	Cases	(%)	Deaths (%)
PCP Other OI w/o PC KS Alone No Disease List		4	356 ( 26) 195 ( 36) 17 ( 1)	282 ( 79) 315 ( 64) 15 ( 88) 178 ( 36)	17	( 39) 7 ( 61) 0 ( 0) 0 ( 0)	3	3 ( 73) 3 ( 47) ) ( .)	,	37) 1)	290 ( 79) 323 ( 63) 15 ( 88) 178 ( 36)
Total		13	363 (100)	790 ( 58)	28	3 (100)	16	5 ( 57)	1391 (	100)	806 ( 58)
2. Age * Case	es	엉	3. Race/	Eth.	Adult/ <i>I</i> Cases		Pediatr Cases	cic*	Total Cases	96	
30-39 40-49	424	1 1 # 13 43 30 12	Black Hispa Other	/Unknown	736 396 # 	# 54 29 # 	# 19 6 # 	# 68 21 # 	219 755 402 15 	54 29 1	
Unknown	#	#									

Pediatric\*

Total

1	Patient	Croun

Total 1391 100

Patient Group	Adult/Adolescent Transmission Modes **										
	Males	용	Females	용	Total	용					
Men sex with men (MSM)	228	24	0	0	228	17					
Injection drug user (IDU)	427	44	173	44	600	44					
MSM/IDU	57	6	0	0	57	4					
Heterosexual contact	82	8	146	37	228	17					
Risk not reported/other***	173	18	76	19	249	18					
Total	967	100	395	100	1362	100					

	Males	용	Females %	Total	용
Parent at risk/has AIDS/HIV	15	100	13 93	28	97
Risk not reported/other***	0	0	# #	#	#
Total	15	100	14 100	29	100

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

<sup>\*\* 1</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

## New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Elizabeth City Residents

## 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	26	24	92%
1985	20	19	95%
1986	40	35	88%
1987	57	53	93%
1988	51	47	92%
1989	62	55	89%
1990	68	62	91%
1991	77	69	90%
1992	109	87	80%
1993	142	101	71%
1994	118	73	62%
1995	117	58	50%
1996	116	42	36%
1997	88	30	34%
1998	61	15	25%
1999	45	12	27%
2000	43	8	19%
2001	48	8	17%
2002	36	0	0%
2003	50	#	#
2004	17	#	#
Total	1391	806	58%

#### New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Elizabeth City Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	%	<ol><li>Race/Ethnicity</li></ol>	Cases	용	Cases	%	Cases	%
Under 5	12	3	White, Not Hispanic	#	#	#	#	62	13
5-12	5	1	Black, Not Hispanic	243	53	9	53	252	53
13-19	8	2	Hispanic	145	32	7	41	152	32
20-29	116	24	Other/Unknown	#	#	#	#	9	2
30-39	190	40							
40-49	109	23	Total	458	100	17	100	475	100
Over 49	35	7							
Unknown	0	0							
Total	475	100							

3. Patient Group	Ad	dult/Adol	escent Transmiss	sion Modes **	
•	Males	8	Females 9	Total	%
Men sex with men (MSM)	68	24	0 (	) 68	15
Injection drug user (IDU)	101	36	43 24	144	31
MSM/IDU	9	3	0 (	) 9	2
Heterosexual contact	28	10	73 41	101	22
Risk not reported/other***	75	27	61 34	136	30
Total	281	100	177 100	458	100
		Pedia <sup>.</sup>	tric Transmissio	on Modes	
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	10	100	7 100	17	100
Risk not reported/other***	0	0	0 (	0	0
Total	10	100	7 100	) 17	100

- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Elizabeth City Residents

1.	Current HI	IV/AIDS Ca	tegory				escent *		Ped Case	s	%		Cas		- % 	
	AIDS-Any C AIDS-CD4 C HIV Only	)I )nly			 ‡ 458	# # 8	# #			#	# # 37		8	 96 95 75	48 27	
	Total				1820		100			6			18		100	
2.	Age *	Cases		3.	Race/Et			Cas	ses	용	P Ca	ses	%		Cases	tal %
	Under 5 5-12 13-19 20-29 30-39	36 10 16	2 1 1 18		White.	Not Not ic Jnkn	Hispanic Hispanic		# 978 541 #	# 54 30 #		# 29 13	28 #		1007 554	15 54 30 1
	40-49 Over 49 Unknown	504	27 9 0		Total			1	L820	100		46	100		1866	100
	Total	1866	100													
4.	Patient Gr	roup					Ad Males								. %	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th men (M drug user al contac reported/c	ISM) (IDU) tt				296 528 66 110	24 42 5 9		-	0 216 0	 0 38 0 38 24		296 744 66 329 385	16 41 5 4 18 5 21	
	Total						1248			-	572			1820		
							Males	%	diatr	E	Transmi Temales	용		Total		
	Parent at Risk not r	risk/has reported/c	AIDS/HI ther***				25 0	100			20 #	95 #			98	

25 100

21 100

46 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Total

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Elizabeth City Residents

### 5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
Before 1985	29	26	90%
1985	27	25	93%
1986	48	40	83%
1987	79	68	86%
1988	65	55	85%
1989	92	74	80%
1990	105	82	78%
1991	103	79	77%
1992	219	111	51%
1993	166	84	51%
1994	159	68	43%
1995	125	44	35%
1996	116	31	27%
1997	115	25	22%
1998	83	15	18%
1999	79	8	10%
2000	71	8	11%
2001	57	7	12%
2002	48	#	#
2003	55	5	9%
2004	25	#	#
Total	1866	859	46%